



NETWORK WITH US



BOAT ENGINES

MOTORI MARINI · MOTEURS DE BATEAUX · SCHIFFSMOTOREN
MOTORES MARINOS · MOTORES MARINOS · BOOT MOTOREN

BOAT ENGINES

All keys are in 1:1 scale



FOR BASCO®



8 0 0 3 7 3 6 0 1 8 6 2 4



BA5

BRASS KEY

FOR BASCO®



8 0 0 3 7 3 6 0 1 8 7 2 3



BA5R

BRASS KEY

FOR BASCO®



8 0 0 3 7 3 6 0 1 8 8 2 2



BA8

BRASS KEY

FOR BASCO®



8 0 0 3 7 3 6 0 1 8 8 3 9



BA8R

STEEL KEY

FOR BASCO®



8 0 0 3 7 3 6 0 1 8 5 7 0



BA5

STEEL KEY

FOR BASCO®



8 0 0 3 7 3 6 0 1 8 6 7 9



BA5R

STEEL KEY

FOR BASCO®



8 0 0 3 7 3 6 0 1 8 8 1 5



BA8

STEEL KEY

FOR BASCO®



8 0 0 3 7 3 6 0 1 8 8 4 6



BA8R

BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



BOAT ENGINES

All keys are in 1:1 scale

FOR BKS®




8 0 0 3 7 3 6 2 9 9 3 7 5



BK4

STEEL KEY

FOR BKS®



8 0 0 3 7 3 6 0 2 7 5 5 8



BK8

BRASS KEY

FOR BOSCH®



8 0 0 3 7 3 6 0 2 3 4 4 4



BH10

STEEL KEY

FOR BOSCH®



8 0 0 3 7 3 6 0 2 3 5 0 5



BH4

STEEL KEY

FOR BKS®



8 0 0 3 7 3 6 2 9 9 3 8 2



BK4R

STEEL KEY

FOR BKS®



8 0 0 3 7 3 6 0 2 7 5 7 2



BK8R

BRASS KEY

FOR BOSCH®



8 0 0 3 7 3 6 0 2 3 5 1 2



BH4

BRASS KEY

FOR BOSCH®



8 0 0 3 7 3 6 0 2 3 5 2 9



BH4P

STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BOAT ENGINES

All keys are in 1:1 scale



FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 0 1 8 2 9 7



BA1
STEEL KEY

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 0 5 0 6 5 5



CY12R
STEEL KEY

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 0 5 0 6 9 3



CY13R
STEEL KEY

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 0 5 0 7 3 0



CY14R
STEEL KEY

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 0 5 0 6 3 1



CY12
STEEL KEY

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 0 5 0 6 7 9



CY13
STEEL KEY

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 0 5 0 7 1 6



CY14
STEEL KEY

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 1 3 6 6 0 1



RB1
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.




BOAT ENGINES

All keys are in 1:1 scale

FOR BRIGGS & STRATTON®



8 0 0 3 7 3 6 1 3 6 6 2 5



RB1R
STEEL KEY

FOR CHICAGO®



8 0 0 3 7 3 6 2 5 1 8 0 9



CH1
BRASS KEY

FOR CHICAGO®



8 0 0 3 7 3 6 2 4 9 7 2 1



CH3
BRASS KEY

FOR CHICAGO®



8 0 0 3 7 3 6 3 0 1 0 0 9



CH5
STEEL KEY

FOR CHICAGO®



8 0 0 3 7 3 6 3 0 0 9 3 4



CH1
STEEL KEY

FOR CHICAGO®



8 0 0 3 7 3 6 2 4 9 7 3 8



CH2
BRASS KEY

FOR CHICAGO®



8 0 0 3 7 3 6 2 5 1 7 4 8



CH4
BRASS KEY

FOR CHICAGO®



8 0 0 3 7 3 6 2 4 9 7 1 4



CH8
BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BOAT ENGINES

All keys are in 1:1 scale



FOR CLUM®



8 0 0 3 7 3 6 0 4 1 5 2 3



CL1
STEEL KEY

FOR CLUM®



8 0 0 3 7 3 6 0 4 1 5 6 1



CL2
STEEL KEY

FOR CLUM®



8 0 0 3 7 3 6 0 4 1 6 0 8



CL4
STEEL KEY

FOR HUDSON®



8 0 0 3 7 3 6 0 8 8 4 9 8



HD1
BRASS KEY

FOR CLUM®



8 0 0 3 7 3 6 0 4 1 5 4 7



CL1R
STEEL KEY

FOR CLUM®



8 0 0 3 7 3 6 0 4 1 5 8 5



CL3
STEEL KEY

FOR CLUM®



8 0 0 3 7 3 6 0 4 1 6 2 2



CL5
STEEL KEY

FOR HUDSON®



8 0 0 3 7 3 6 0 8 8 4 8 1



HD1
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



BOAT ENGINES

All keys are in 1:1 scale

FOR HUDSON®



8 0 0 3 7 3 6 0 8 8 5 1 1



HD1R

BRASS KEY

FOR MITSUBISHI®



8 0 0 3 7 3 6 1 1 9 0 6 2




MIT1R

STEEL KEY

FOR MITSUBISHI®



8 0 0 3 7 3 6 1 1 9 3 6 9




MIT2R

ULTRALITE KEY - BLUE SKY

FOR MITSUBISHI®



8 0 0 3 7 3 6 1 1 9 3 2 1



MIT2R

ULTRALITE KEY - YELLOW

FOR HUDSON®



8 0 0 3 7 3 6 0 8 8 5 0 4



HD1R

STEEL KEY

FOR MITSUBISHI®



8 0 0 3 7 3 6 1 1 9 0 7 9




MIT1R

BRASS KEY

FOR MITSUBISHI®



8 0 0 3 7 3 6 1 1 9 3 0 7




MIT2R

ULTRALITE KEY - GREEN

FOR MITSUBISHI®



8 0 0 3 7 3 6 1 1 9 2 9 1



MIT2R

ULTRALITE KEY - RED


In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BOAT ENGINES

All keys are in 1:1 scale




FOR MITSUBISHI®




MIT2R
BRASS KEY

FOR MITSUBISHI®



MIT2R
ULTRALITE KEY - VIOLET

FOR MITSUBISHI®




MIT2RP
BRASS KEY

FOR NEIMAN®




NE15
STEEL KEY

FOR MITSUBISHI®




MIT2R
STEEL KEY

FOR MITSUBISHI®



MIT2R
ULTRALITE KEY - BLUE

FOR MITSUBISHI®



MIT2RP
STEEL KEY

FOR NEIMAN®



NE15
BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

FOR NEIMAN®



NE19
STEEL KEY

FOR NEIMAN®




NE19P
STEEL KEY

FOR NEIMAN®



NE19RP
BRASS KEY

FOR SCHIFF®



191SM/60
KEY

FOR NEIMAN®



NE19
BRASS KEY

FOR NEIMAN®




NE19R
STEEL KEY

FOR POLLAK®



PK1
STEEL KEY

FOR SCHIFF®



191SM/61
KEY

BOAT ENGINES


All keys are in 1:1 scale



FOR SCHIFF®



8 0 5 2 7 8 2 9 7 7 9 7 3




S548MS
KEY

FOR SCHIFF®



8 0 5 2 7 8 2 9 7 7 9 8 0



S575
BRASS KEY

FOR SELFA®



8 0 0 3 7 3 7 5 9 2 4 8 2



SEL1
BRASS KEY

FOR WEST®



8 0 0 3 7 3 6 3 1 4 5 4 2



WST3
STEEL KEY

FOR WEST®



8 0 0 3 7 3 6 3 1 4 5 3 5



WST2
STEEL KEY

FOR WEST®



8 0 0 3 7 3 6 2 6 6 2 6 1



WST3
BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BOAT ENGINES

All keys are in 1:1 scale

FOR YALE®

8 0 0 3 7 3 6 1 9 3 7 5 8

YA18
BRASS KEY

FOR YALE®

8 0 0 3 7 3 6 1 9 3 7 7 2

YA18R
BRASS KEY

FOR YALE®

8 0 0 3 7 3 6 5 7 3 1 0 9

YA4
STEEL KEY

FOR YALE®

8 0 0 3 7 3 6 2 3 2 2 7 3

YA4
BRASS KEY

FOR YALE®

8 0 0 3 7 3 6 1 9 3 7 4 1

YA18
STEEL KEY

FOR YALE®

8 0 0 3 7 3 6 1 9 3 7 6 5

YA18R
STEEL KEY

FOR YALE®

8 0 0 3 7 3 6 2 3 2 6 5 5

YA4
POLISHED BRASS KEY

FOR YALE®

8 0 0 3 7 3 6 5 7 3 1 1 6

YA4R
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BOAT ENGINES

All keys are in 1:1 scale



FOR YALE®



8 0 0 3 7 3 6 2 3 2 2 3 5



YA4R

BRASS KEY

FOR YALE®



8 0 0 3 7 3 6 2 6 6 7 3 5



YA66R

BRASS KEY

FOR YALE®



8 0 0 3 7 3 6 5 7 3 4 4 4



YA66

BRASS KEY

FOR YANMAR®



8 0 0 3 7 3 6 4 3 0 5 1 8



YAR1

BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



GENERAL INDEX

INDICE GENERALE · GENERALVERZEICHNIS · INDEX GÉNÉRAL

INDICE GENERAL · ÍNDICE GERAL · ALGEMENE INDEX



191SM/60	8
191SM/61	8
BA1	3
BA5	1
BA5R	1
BA8	1
BA8R	1
BH10	2
BH4	2
BH4P	2
BK4	2
BK4R	2
BK8	2
BK8R	2
CH1	4
CH2	4
CH3	4
CH4	4
CH5	4
CH8	4
CL1	5
CL1R	5
CL2	5
CL3	5
CL4	5
CL5	5
CY12	3
CY12R	3
CY13	3
CY13R	3
CY14	3
CY14R	3
HD1	5
HD1R	6
MIT1R	6
MIT2R	6
MIT2RP	7
NE15	7
NE19	8
NE19P	8
NE19R	8
NE19RP	8
PK1	8
RB1	3
RB1R	4
S548MS	9
S575	9
SEL1	9
WST2	9
WST3	9
YA18	10
YA18R	10
YA4	10
YA4R	10
YA66	11
YA66R	11
YAR1	11

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



**ITALY
AND OTHER COUNTRIES
SILCA S.p.A.**

Via Podgora, 20 (Z.I.)
31029 VITTORIO VENETO (TV)
Tel. +39 0438 9136
Fax +39 0438 913800
E-mail: silca@silca.it
www.silca.biz - www.silca.it

**FRANCE
SILCA S.A.S.**

12, Rue de Rouen
Z.I. Limay-Porcheville
78440 PORCHEVILLE
Phone: +33 1 30983500
Fax +33 1 30983501
E-mail: info@silca.fr
www.silca.fr

**SPAIN
SILCA KEY SYSTEMS S.A.**

C/Santander 73A
08020 BARCELONA
Phone: +34 93 4981400
Fax +34 93 2788004
E-mail: silca@silca.es
www.silca.es

**GERMANY
SILCA GmbH**

Siemensstrasse, 33
42551 VELBERT
Phone: +49 2051 2710
Fax +49 2051 271172
E-mail: info@silca.de
www.silca.de

**UNITED KINGDOM
SILCA**

Unit 6 Lloyds Court
Manor Royal
RH10 9QU CRAWLEY
Phone: +44 1293 531134
Fax +44 1293 531108
E-mail: sales@silcald.co.uk
www.silcald.co.uk

**BENELUX
H. CILLEKENS & B.V.**

Metaalweg, 4
6045 JB ROERMOND
Phone: +31 475 325147
Fax +31 475 323640
E-mail: info@hcillekens.nl
www.hcillekens.nl

**UNITED KINGDOM
ADVANCED DIAGNOSTICS Ltd.**

Eastboro Fields
Hemdale Business Park
CV11 6GL NUNEATON
Phone: +44 2476 347000
Fax + 44 2476 347100
E-mail: sales@advanced-diagnostics.com
www.advanced-diagnostics.com



dormakaba Group